

Infinite Runs in Weighted Timed Automata with Energy Constraints

Patricia Bouyer^{1,*}, Uli Fahrenberg², Kim G. Larsen²,
Nicolas Markey^{1,*}, and Jiří Srba^{2,**}

¹ Lab. Spécification et Vérification, CNRS & ENS Cachan, France
{bouyer,markey}@lsv.ens-cachan.fr

² Dept. of Computer Science, Aalborg University, Denmark
{uli,kgl,srba}@cs.aau.dk

Abstract. We study the problems of existence and construction of infinite schedules for finite weighted automata and one-clock weighted timed automata, subject to boundary constraints on the accumulated weight. More specifically, we consider automata equipped with positive and negative weights on transitions and locations, corresponding to the production and consumption of some resource (*e.g.* energy). We ask the question whether there exists an infinite path for which the accumulated weight for any finite prefix satisfies certain constraints (*e.g.* remains between 0 and some given upper-bound). We also consider a game version of the above, where certain transitions may be uncontrollable.

1 Introduction

The overall motivation of the research underlying this paper is the quest of developing weighted (or priced) timed automata and games [3,2] into a universal formalism useful for formulating and solving a broad range of resource scheduling problems of importance in application areas such as, *e.g.*, embedded systems. In this paper we introduce and study a new resource scheduling problem, namely that of constructing infinite schedules or strategies subject to boundary constraints on the accumulation of resources. More specifically, we propose finite and timed automata and games equipped with positive as well as negative weights, respectively weight-rates. With this extension, we may model systems where resources are not only consumed but also occasionally produced or regained, *e.g.* useful in modelling autonomous robots equipped with solar-cells for energy-harvesting or with the ability to search for docking-stations when energy-level gets critically low. Main challenges are now to synthesize schedules or strategies that will ensure indefinite safe operation with the additional guarantee that energy will always be available, yet never exceeds a possible maximum storage capacity.

As a basic example, consider the weighted timed automaton in Fig. 1a) with infinite behaviours repeatedly delaying in ℓ_0 , ℓ_1 and ℓ_2 for a total of precisely

* This author is partially supported by project DOTS (ANR-06-SETI-003).

** This author is partially supported by grant no. MSM-0021622419.




Fig. 1. a) Weighted Timed Automaton (global invariant $x \leq 1$). b) $U = +\infty$ and $U = 3$. c) $U = 2$. d) $U = 1$ and $W = 1$.

one time-unit. The negative weights (-3 and -6) in ℓ_0 and ℓ_2 indicate the rates by which energy will be consumed, and the positive rate ($+6$) in ℓ_1 indicates the rate by which energy will be gained. Thus, for a given iteration the effect on the amount of energy remaining will depend highly on the distribution of the one time-unit over the three locations. Let us observe the effect of lower and upper constraints on the energy-level on so-called bang-bang strategies, where the behaviour remains in a given location as long as permitted by the given bounds. Fig. 1b) shows the bang-bang strategy given an initial energy-level of 1 with no upper bound (dashed line) or 3 as upper bound (solid line). In both cases, it may be seen that the bang-bang strategy yields an infinite behaviour.

In Fig. 1c) and d), we consider the upper bounds 2 and 1, respectively. For an upper bound of 2, we see that the bang-bang strategy reduces an initial energy-level of $1\frac{1}{2}$ to 1 (solid line), and yet another iteration will reduce the remaining energy-level to 0. In fact, the bang-bang strategy—and it may be argued, any other strategy—fails to maintain an infinite behaviour for any initial energy-level *except for 2* (dashed line). With upper-bound 1, the bang-bang strategy—and any other strategy—fails to complete even one iteration (solid line).

We also propose an alternative *weak* notion of upper bounds, which does not prevent energy-increasing behaviour from proceeding once the upper bound is reached but merely maintains the energy-level at the upper bound. In this case, as also illustrated in Fig. 1d) (dashed line), the bang-bang strategy is quite adequate for yielding an infinite behaviour.

In this paper, we ask the question whether some, or all, of the infinite paths obey the property that the weight accumulated in any finite prefix satisfies certain constraints. The *lower-bound problem* requires the accumulated weight never drop below zero, the *interval-bound problem* requires the accumulated weight to stay within a given interval, and in the *lower-weak-upper-bound problem* the accumulated weights may not drop below zero, with the additional feature that the weights never accumulate to more than a given upper bound; any increases

above this bound are simply truncated. We also consider a game version of the above setting, where certain transitions may be uncontrollable.

For finite weighted automata, we show that the lower- and lower-weak-upper-bound problems are decidable in polynomial time. In the game setting we prove these problems to be P-hard but decidable in $\text{NP} \cap \text{coNP}$. The interval-bound problem is on the other hand NP-hard but decidable in PSPACE and in the game setting it is EXPTIME-complete. For one-clock weighted timed automata, the lower- and lower-weak-upper-bound problems remain in P, but the interval-bound problem in the game setting is already undecidable.

Related Work. Recently, extensions of timed automata with costs (or prices) to measure quantities like energy, bandwidth, etc. have been introduced and subject to significant research. In these models—so-called *priced* or *weighted timed automata*—the cost can be used to measure the performance of a system allowing various optimization problems to be considered. Examples include cost-optimal reachability problem in a single-cost setting [2,3], as well as in a multi-cost setting [20], or the computation of (mean-cost or discounted) cost-optimal infinite schedules [6,16]. Also games where players try to optimize the cost have been considered [1,7,13,5,10], and several model-checking problems have been studied [12,5,9,11]. It is worth noticing that in these last frameworks (model-checking and games), most of the problems are undecidable, and they can be solved algorithmically only for the (restricted) class of one-clock automata.

However, in the priced extensions considered so far, only non-negative costs are allowed restricting the types of quantities one can measure. The only exception concerns the optimal-cost reachability problem, which has been solved even when negative costs are allowed [4], but the proof is basically not much more involved than with only non-negative costs. In the current work, we pursue this line of research, and focus on non-trivial problems that can be posed on timed automata with arbitrary costs, which allow to model interesting problems on timed systems with (bounded) resources.

Due to space limitations, most proofs had to be omitted in this paper. A long version is available as [8].

2 Models and Problems

2.1 Weighted Automata and Games

A *weighted automaton* is a tuple $A = (S, s_0, T)$ consisting of a set of locations (or states) S , an initial location (state) $s_0 \in S$, and a set of transitions $T \subseteq S \times \mathbb{R} \times S$. A transition (s, p, s') is customarily denoted $s \xrightarrow{p} s'$, where $p \in \mathbb{R}$ is the *weight* of that transition. We implicitly consider only *non-blocking* automata where every location has at least one outgoing transition. If S and T are finite sets and $T \subseteq S \times \mathbb{Z} \times S$ then A is called a *finite* weighted automaton.

A run in A starting from $s \in S$ is a finite or infinite sequence $s = s_1 \xrightarrow{p_1} s_2 \xrightarrow{p_2} s_3 \xrightarrow{p_3} \dots$. We write $\text{Runs}(A, s)$ for the set of all runs in A starting from s . Given a finite run $\gamma = s_1 \xrightarrow{p_1} \dots \xrightarrow{p_{n-1}} s_n$, we write $\text{last}(\gamma)$ to denote its final location s_n .

Definition 1. Let $A = (S, s_0, T)$ be a weighted automaton, $c \in \mathbb{R}$, $b \in \mathbb{R} \cup \{\infty\}$, and let $\gamma = s_1 \xrightarrow{p_1} \dots \xrightarrow{p_{n-1}} s_n \in \text{Runs}(A, s_1)$. The accumulated weight with initial credit c under weak upper bound b is $p_{c \downarrow b}(\gamma) = r_n$, where $r_1, \dots, r_n \in \mathbb{R}$ are defined inductively by $r_1 = \min(c, b)$, $r_{i+1} = \min(r_i + p_i, b)$.

So for computing $p_{c \downarrow b}(\gamma)$, costs are accumulated along the transitions of γ , but only up to a maximum accumulated cost b ; possible increases above b are simply discarded. The case $b = \infty$ is special; we will denote $p_c(\gamma) = p_{c \downarrow \infty}(\gamma) = c + \sum_{i=1}^{n-1} p_i$. Also, we will write $p(\gamma) = p_0(\gamma)$.

A *weighted game* is a tuple $G = (S_1, S_2, s_0, T)$ where S_1 and S_2 are two disjoint sets of locations, and $A_G = (S_1 \cup S_2, s_0, T)$ is a weighted automaton. Note that we only introduce *turn-based* weighted games here.

A run of G is a run of A_G , and we write $\text{Runs}(G)$ for $\text{Runs}(A_G)$. A strategy σ for Player i , where $i = 1$ or $i = 2$, maps each finite run γ ending in S_i to a transition departing from $\text{last}(\gamma)$. Given a location s in G and a strategy σ for Player i , an outcome of σ from s is any run $s_1 \xrightarrow{p_1} s_2 \xrightarrow{p_2} \dots \xrightarrow{p_{n-1}} s_n$ starting in s such that for any k , if $s_k \in S_i$ then $s_k \xrightarrow{p_k} s_{k+1} = \sigma(s_1 \xrightarrow{p_1} s_2 \xrightarrow{p_2} \dots \xrightarrow{p_{k-1}} s_k)$.

We are now able to formulate the problems which we shall be concerned with.

The lower-bound problem: Given a weighted game G and an initial credit c , does there exist a strategy for Player 1 such that any infinite outcome γ from the initial state of G has $p_c(\gamma') \geq 0$ for all finite prefixes γ' of γ ?

The lower-weak-upper-bound problem: Given a weighted game G , a weak upper bound b and an initial credit $c \leq b$, does there exist a strategy for Player 1 such that any infinite outcome γ from the initial state of G has $p_{c \downarrow b}(\gamma') \geq 0$ for all finite prefixes γ' of γ ?

The interval-bound problem: Given a weighted game G , an upper bound b , and an initial credit $c \leq b$, does there exist a strategy for Player 1 such that any infinite outcome γ from the initial state of G has $0 \leq p_c(\gamma') \leq b$ for all finite prefixes γ' of γ ?

Note that by Martin's determinacy theorem [21], our games are *determined*: Player 1 has a strategy for winning one of the above games if, and only if, Player 2 does not have a strategy for making Player 1 lose.

Special variants of the above problems are obtained when one of the sets S_1 and S_2 is empty. In case $S_2 = \emptyset$, they amount to asking for the *existence* of an infinite path adhering to the given bounds; in case $S_1 = \emptyset$, one asks whether *all* infinite paths stay within the bounds. The former problems will be referred to as *existential* problems, the latter as *universal* ones.

2.2 The Timed Setting

A *weighted timed automaton* is a tuple $A = (Q, q_0, C, I, E, \text{rate})$, with Q a finite set of locations, $q_0 \in Q$ the initial location, C a finite set of clocks, $I: Q \rightarrow \Phi(C)$ location invariants, $E \subseteq Q \times \Phi(C) \times 2^C \times Q$ a finite set of transitions, and $\text{rate}: Q \rightarrow \mathbb{Z}$ location weight-rates. Here the set $\Phi(C)$ of clock constraints φ is defined by the grammar $\varphi ::= x \bowtie k \mid \varphi_1 \wedge \varphi_2$ with $x \in C$, $k \in \mathbb{Z}$ and

$\bowtie \in \{\leq, <, \geq, >, =\}$. The semantics of a weighted timed automaton A is given by a weighted automaton $\llbracket A \rrbracket$ with states (q, v) , where $q \in Q$ and $v: C \rightarrow \mathbb{R}_{\geq 0}$, and transitions of two types:

- *Delay transitions* $(q, v) \xrightarrow{p}_t (q, v + t)$ for some $t \in \mathbb{R}_{\geq 0}$. Such a transition exists whenever $v + t' \models I(q)$ for all $t' \in [0, t]$, and its weight is $p = t \cdot \text{rate}(q)$.
- *Switch transitions* $(q, v) \xrightarrow{0}_e (q', v')$, where $e = (q, g, r, q')$ is a transition of A . Such a switch transition exists whenever $v \models g \wedge I(q)$, $v' = v[r \leftarrow 0]$, and $v' \models I(q')$. Switch transition have always the weight 0.

A *run* of A is a sequence $(q_1, v_1) \xrightarrow{p_1}_{t_1} (q_1, v'_1) \xrightarrow{0}_{e_1} (q_2, v_2) \xrightarrow{p_2}_{t_2} (q_2, v'_2) \cdots$ of alternating delay and switch transitions in $\llbracket A \rrbracket$. We write $\text{Runs}(A)$ for the set of all runs of A . The accumulated weight (with initial credit c and weak upper bound b) for runs of a weighted timed automaton are given by Definition 1.

A *weighted timed game* is a tuple $G = (Q, q_0, C, I, E_1, E_2, \text{rate})$ such that $A_G = (Q, q_0, C, I, E_1 \cup E_2, \text{rate})$ is a weighted timed automaton. States and runs of a weighted timed game are those of the underlying weighted timed automaton, and we again write $\text{Runs}(G)$ for $\text{Runs}(A_G)$.

Given a weighted timed game G , a strategy for Player i ($i \in \{1, 2\}$) is a partial function σ mapping each finite run of $\text{Runs}(A_G)$ to $E_i \cup \{\lambda\}$, where $\lambda \notin E_1 \cup E_2$ is the “wait” action. For a finite run γ ending in (q, v) , it is required that if $\sigma(\gamma) = \lambda$ then $(q, v) \xrightarrow{p}_t (q, v + t)$ for some $t > 0$, and if $\sigma(\gamma) = e$ then $(q, v) \xrightarrow{0}_e (q', v')$.

Given a state $s = (q, v)$ of a weighted timed game G and a strategy σ for Player i , the set $\text{Out}(\sigma, s)$ of outcomes of σ from s is the smallest subset of $\text{Runs}(G, s)$ such that

- (q, v) is in $\text{Out}(\sigma, s)$;
- if $\gamma \in \text{Out}(\sigma, s)$ is a finite run ending in (q_n, v_n) , then a run of the form $\gamma \rightarrow (q_{n+1}, v_{n+1})$ is in $\text{Out}(\sigma, s)$ if either
 - $(q_n, v_n) \rightarrow_e (q_{n+1}, v_{n+1})$ with $e \in E_{3-i}$,
 - $(q_n, v_n) \rightarrow_e (q_{n+1}, v_{n+1})$ with $e = \sigma(\gamma) \in E_i$, or
 - $(q_n, v_n) \rightarrow_t (q_{n+1}, v_{n+1})$ with $t \in \mathbb{R}_{\geq 0}$, and $\sigma(\gamma \rightarrow_{t'} (q_n, v_n + t')) = \lambda$ for all $t' \in [0, t]$;
- an infinite run is in $\text{Out}(\sigma, s)$ if all its finite prefixes belong to $\text{Out}(\sigma, s)$.

A weighted timed game $G = (Q, q_0, C, I, E_1, E_2, r)$ is said to be *turn-based* if the set of edges leaving any $q \in Q$ is a subset of either E_1 or E_2 . In that case, the semantics of G is a (turn-based, infinite) weighted game as introduced in the previous section. However, weighted timed games introduced above are more general than turn-based ones, and we shall later use the more general notion.

For weighted timed games, we will be interested in the same three problems as in the previous section; the existence of a strategy whose outcomes are infinite runs remaining within given bounds. As in the previous section, we have the special cases of *existential* and *universal* problems.

3 Fixed-Point Characterization

Let us introduce some terminology. For the lower-bound problem, we say that an infinite path γ is *c-feasible* for some initial credit $c < +\infty$, if $p_c(\gamma') \geq 0$ for all finite prefixes γ' of γ , and that γ is *feasible* if it is *c-feasible* for some c .

Given a weighted game (S_1, S_2, s_0, T) and $b \in \mathbb{R}_{\geq 0}$, we define three predicates $L, W_b, U_b : S \times \mathbb{R}_{\geq 0} \rightarrow \{tt, ff\}$ to be the respective maximal fixed points to the following equations:

$$\begin{aligned}
 L(s, c) &= 0 \leq c \wedge \begin{cases} s \in S_1 \implies \exists s \xrightarrow{p} s' \in T : L(s', c + p) \\ s \in S_2 \implies \forall s \xrightarrow{p} s' \in T : L(s', c + p) \end{cases} \\
 W_b(s, c) &= 0 \leq c \leq b \wedge \begin{cases} s \in S_1 \implies \exists s \xrightarrow{p} s' \in T : W_b(s', \max(b, c + p)) \\ s \in S_2 \implies \forall s \xrightarrow{p} s' \in T : W_b(s', \max(b, c + p)) \end{cases} \\
 U_b(s, c) &= 0 \leq c \leq b \wedge \begin{cases} s \in S_1 \implies \exists s \xrightarrow{p} s' \in T : U_b(s', c + p) \\ s \in S_2 \implies \forall s \xrightarrow{p} s' \in T : U_b(s', c + p) . \end{cases}
 \end{aligned}$$

The right-hand side of each of these equations defines a monotone functional on the power set lattice of $S \times \mathbb{R}_{\geq 0}$, hence indeed the maximal fixed points exist. Also, if the weighted game under investigation is *image finite*, i.e. if the sets $\{(p, s') \mid s \xrightarrow{p} s' \in T\}$ are finite for all states s , then it can be shown that these respective functionals are continuous, implying that the maximal fixed points can be obtained as the limits of the iterated application of the respective functionals to the maximal element $S \times \mathbb{R}_{\geq 0}$ of the power set lattice. The proof of the lemma below is immediate from the definition of the predicates.

Lemma 2. *Let (S_1, S_2, s_0, T) be a weighted game and $s \in S_1 \cup S_2$, $b, c \in \mathbb{R}_{\geq 0}$. Then $(s, c) \in L$ (or $(s, c) \in W_b$, or $(s, c) \in U_b$) if and only if there exists a strategy for Player 1 such that any infinite path γ from s consistent with the strategy is *c-feasible* for the lower-bound problem (or lower-weak-upper-bound problem, or interval-bound problem, respectively).*

For the lower-bound problems, the above fixed-point characterization can be stated in a different way by defining recursively the *infimum credits* sufficient for feasibility—note that such a notion does not make sense for the interval-bound problem, as here the set of sufficient credits is not necessarily upward-closed. For a given weighted game (S_1, S_2, s_0, T) and $b \in \mathbb{R}_{\geq 0}$, let $L, W_b : S \rightarrow \mathbb{R} \cup \{\infty\}$ be the functions defined as respective minimal fixed points to the following equations:

$$\begin{aligned}
 L(s) &= \begin{cases} \min\{L(s') - p \mid s \xrightarrow{p} s'\} & \text{if } s \in S_1 \\ \max\{L(s') - p \mid s \xrightarrow{p} s'\} & \text{if } s \in S_2 \end{cases} \\
 W_b(s) &= \begin{cases} \min(b, \min\{W(s') - p \mid s \xrightarrow{p} s'\}) & \text{if } s \in S_1 \\ \min(b, \max\{W(s') - p \mid s \xrightarrow{p} s'\}) & \text{if } s \in S_2 . \end{cases}
 \end{aligned}$$




Fig. 2. a), b) Weighted automata with and without feasible paths. c) One fixed-point iteration on the weighted timed automaton of Fig. 1.

Proposition 3. *We have $L(s, c)$ if and only if $c \geq L(s)$, and $W_b(s, c)$ if and only if $W_b(s) \leq c \leq b$.*

The following lemma shows that for finite weighted games, there is a prescribed upper limit for the values of L and W_b . This implies that the fixed-point computations can be terminated after a finite number of iterations. For *timed* games, the second part of the next example below shows that this is *not* necessarily the case.

Lemma 4. *Let (S_1, S_2, s_0, T) be a finite weighted game and $b \in \mathbb{R}_{\geq 0}$. Let $M = \sum\{-p \mid s \xrightarrow{p} s' \in T, p < 0\}$. Then for any state s , $L(s) < \infty$ if and only if $L(s) \leq M$, and $W_b(s) < \infty$ if and only if $W_b(s) \leq M$.*

Example 5. Consider the weighted automata in Fig. 2a) and 2b). Let us attempt to compute L using iterative application of the recursive definition. For a) we find the following fixed points after two iterations: $L(s_0) = 0$ and $L(s_1) = 1$. For b) we get the following sequence of decreasing approximations: $L^{2n}(s_0) = L^{2n+1}(s_0) = 2n$ and $L^{2n}(s_1) = L^{2n-1}(s_1) = 2n + 1$. Hence clearly $L(s_0) = L(s_1) = \infty$, though this fixed point is not reached within a finite number of iteration.

In Fig. 2c) we reconsider the weighted timed automaton from Fig. 1 under the interval-bound problem with upper bound 2. If we assume that after n iterations of the fixed-point computation, $U_2^((\ell_2, 1), c) = tt$ if and only if $c \in [2 - \varepsilon, 2]$ for some ε , then $U_2^{n+1}((\ell_0, 0), c) = tt$ if and only if $c \in [2 - \frac{1}{2}\varepsilon, 2]$. The largest fixed point— $U_2((\ell_2, 1), c) = tt$ if and only if $c = 2$ —is only reached as the limit of this infinite sequence of approximations. \square

4 Lower-Bound Problems

In this section we treat the lower-bound and lower-weak-upper-bound problems for finite automata, one-clock timed automata, and for finite games. For one-clock timed games, these problems are open.

4.1 Finite Weighted Automata

For a given finite weighted automaton $A = (S, s_0, T)$, we denote by $\text{MinCr}(\gamma)$, for a path γ in A , the minimum $c \geq 0$ for which γ is c -feasible, and by $\text{MinCr}(s)$,

for a state $s \in S$, the minimum of $\text{MinCr}(\gamma)$ over all feasible paths γ emerging from s .

A cycle $\gamma = s_0 \rightarrow s_1 \rightarrow \dots \rightarrow s_0$ in A is *non-losing* if $p(\gamma) \geq 0$ (or equivalently, $p_c(\gamma) \geq c$ for any initial credit c). A *lasso* λ from a given state s_0 is an infinite path of the form $\gamma_1(\gamma_2)^\omega$, where $\gamma_1 = s_0 \rightarrow s_1 \rightarrow \dots \rightarrow s_{i-1}$, $\gamma_2 = s_i \rightarrow \dots \rightarrow s_k \rightarrow s_i$, and $s_{i-1} \rightarrow s_i$ are paths in A , and with $s_i \neq s_j$ whenever $i \neq j \leq k$. It is clear that if a lasso $\gamma_1(\gamma_2)^\omega$ constitutes a feasible path then the cycle γ_2 must be non-losing.

Lemma 6. *Let $A = (S, s_0, T)$ be a finite weighted automaton and $s \in S$. For any feasible path γ from s , there exists a feasible lasso λ also from s such that $\text{MinCr}(\lambda) \leq \text{MinCr}(\gamma)$.*

Proof. Let $c = \text{MinCr}(\gamma)$, and assume first that there is a cycle π in γ such that $p(\pi) \geq 0$. Write $\gamma = \gamma_1\pi\gamma_2$, then $\lambda = \gamma_1\pi^\omega$ is a feasible lasso from s , and $\text{MinCr}(\lambda) \leq \text{MinCr}(\gamma)$.

Assume now that there is no cycle π in γ with $p(\pi) \geq 0$. We can write $\gamma = \gamma_1\gamma_2$, where γ_2 only takes transitions that appear infinitely often along γ . As there is no cycle with non-negative weight in γ , the weights of prefixes of γ_2 decrease to $-\infty$. Hence there is a prefix γ'_2 of γ_2 such that $p(\gamma'_2) < -p(\gamma_1)$. But then the accumulated weight of $\gamma_1\gamma'_2$, which is a prefix of γ , is negative, which contradicts the feasibility of γ . \square

Thus, determining $L(s, c)$ corresponds to determining whether there is a feasible lasso λ out of s with $\text{MinCr}(\lambda) \leq c$. This may be done in polynomial time in the size of the weighted automaton using a slightly modified Bellman-Ford algorithm. Hence, this allows us to solve the existential lower-bound and lower-weak-upper-bound problems in polynomial time. The corresponding universal problems can be solved using very similar techniques that we do not detail here (see the full version). Hence we get the following result.

Theorem 7. *For finite weighted automata, the existential and universal lower-bound and lower-weak-upper-bound problems are decidable in P. Also, $\text{MinCr}(s_0)$ is computable in polynomial time.*

4.2 One-Clock Weighted Timed Automata

Let A be a one-clock weighted timed automaton. Without loss of generality we shall assume that for any location, the value of the (single) clock x is bounded by some constant M (see [3]). Let $0 \leq a_1 < a_2 < \dots < a_n < a_{n+1} = M$ where $\{a_1, \dots, a_n\}$ are the constants occurring in A . Then the one-dimensional *regions* of A are all elementary open intervals (a_i, a_{i+1}) and singletons $\{a_i\}$ (see [19]). In particular, two states (q, v) and (q, v') of A are time-abstract bisimilar whenever v and v' belong to the same region.

A corner-point region is a pair $\langle \rho, e \rangle$, where ρ is a region and e an end-point of ρ . We say that $\langle \rho', e' \rangle$ is the *successor* of $\langle \rho, e \rangle$ if either ρ' is the successor region of ρ and $e = e'$ or $\rho = \rho' = (a, b)$, $e = a$, and $e' = b$. Now the *corner-point abstraction* [3,6], $\text{cpa}(A)$, of A is the finite weighted automaton with states

$(q, \langle \rho, e \rangle)$ and with transitions $(q, \langle \rho, e \rangle) \rightarrow (q', \langle \rho', e' \rangle)$ if $\rho \models I(q)$, $q' \models I(q')$ and one of the following applies:

- $q = q'$ and $\langle \rho', e' \rangle$ is the successor of $\langle \rho, e \rangle$, or
- $(q, \varphi, \emptyset, q') \in E$ with $\rho \models \varphi$ and $\langle \rho', e' \rangle = \langle \rho, e \rangle$, or
- $(q, \varphi, \{x\}, q') \in E$ with $\rho \models \varphi$, $\rho' = \{0\}$ and $e' = 0$.

The weight of the first (delay) transition is $\text{rate}(q) \cdot (e' - e)$, the weights of the two last (discrete) transitions are 0. The above corner-point abstraction is sound and complete with respect to the lower-bound problem in the following sense (proof in the full version):

Proposition 8. *Let A be a one-clock weighted timed automaton.*

Completeness: *Let γ be an infinite run in A from $(q_0, 0)$ which is c -feasible for some $c < +\infty$. Then there exists a c -feasible infinite run γ' from $(q_0, \{0\}, 0)$ in $\text{cpa}(A)$.*

Soundness: *Let γ' be an infinite run in $\text{cpa}(A)$ from $(q_0, \{0\}, 0)$ which is c -feasible for some $c < +\infty$. Then, for any $\varepsilon > 0$, there exists a $(c + \varepsilon)$ -feasible infinite run γ from $(q_0, 0)$ in A .*

Let us introduce the *lower-bound* (and lower-weak-upper-bound) *infimum problem* to be the problem as to whether for a given initial credit c , $L(s_0, c + \varepsilon)$ ($W_b(s_0, c + \varepsilon)$) holds for any $\varepsilon > 0$. Based on the above propositions we have:

Theorem 9. *For one-clock weighted timed automata, the existential and universal lower-bound and lower-weak-upper-bound infimum problems are decidable in P . Also, $\text{MinCr}(s_0)$ may be computed in polynomial time.*

Proof (sketch). For the existential problem, note that for a given one-clock weighted timed automaton A , the size of $\text{cpa}(A)$ is polynomial in the size of A , as the regions are constructed from the constants appearing in A . Then apply Theorem 7. For the universal problem, note that Proposition 8 can be modified to show that for any run in A there exist a run in $\text{cpa}(A)$ which has always less remaining credit (within any region we simply choose to do the delay at the location with the smallest rate rather than the largest one). \square

4.3 Finite Weighted Games

Recall that a strategy σ is said to be *memoryless* if $\sigma(\gamma)$ only depends on $\text{last}(\gamma)$ for any finite path γ . The proof of the following lemma can be found in the full version.

Lemma 10. *Let (S_1, S_2, s_0, T) be a finite weighted game. Let $b \in \mathbb{N} \cup \{\infty\}$ and $c \in \mathbb{N}$. If there exists a strategy σ for Player 1 which ensures that $p_{c \downarrow b}(\gamma') \geq 0$ for any finite prefix γ' of any infinite outcome γ of σ , then there is also a memoryless strategy with the same property. Symmetrically, if Player 2 has a strategy to ensure that for any outcome γ of σ , there is a finite prefix γ' of γ such that $p_{c \downarrow b}(\gamma') < 0$, then she has a memoryless strategy with the same property.*

Proposition 11. *For finite weighted games, the lower-bound and lower-weak-upper-bound problems are decidable in $\text{NP} \cap \text{coNP}$.*

Proof. The NP algorithm consists in nondeterministically guessing a memoryless strategy, pruning the transitions that are not selected by that strategy in G , and checking whether for any finite prefix γ of any infinite execution, we have $p_{c \downarrow b}(\gamma) \geq 0$, which is polynomial (Theorem 7). If Player 1 has a winning strategy, then this algorithm will answer positively.

The coNP algorithm follows from the determinacy of the game: if Player 1 has no winning strategy, then Player 2 has one, which can be chosen memoryless. It can then be guessed and checked in nondeterministic polynomial time. \square

For the lower-bound problem, we can do better, and prove its equivalence with the mean-payoff problem.

Proposition 12. *The mean-payoff game problem is log-space equivalent to the lower-bound problem, and is log-space reducible to the lower-weak-upper-bound problem.*

Proof (sketch). Mean-payoff games are defined as follows [17]: given a weighted game $G = (S_1, S_2, s_0, T)$ and an integer m , is there a strategy for Player 1 s.t. for any infinite outcome $s_0 \xrightarrow{p_0} s_1 \xrightarrow{p_1} \dots$, we have $\liminf_{n \rightarrow \infty} \sum_{j \leq n} p_j/n \geq m$. By shifting all weights by $-m$, we can simplify the problem by assuming $m = 0$. An important feature of mean-payoff games is that they admit memoryless winning strategies in case they admit winning strategies [15].

Transforming a mean-payoff problem into a lower-bound (or lower-weak-upper-bound) problem is easy: the mean weight of an infinite path is negative iff its accumulated weight is $-\infty$. Hence a winning strategy for Player 1 for the mean-payoff problem is also winning in the lower-bound (or lower-weak-upper-bound) problem, provided that the initial credit is sufficient (at least the opposite of the sum of all negative weights).

Conversely, given an instance $G = (S_1, S_2, s_0, T)$ of the lower-bound problem (assuming the initial credit is zero, by possibly adding an extra initial transition setting the initial credit), we construct an equivalent instance of the mean-payoff problem as follows: each transition $t = s \xrightarrow{p} s'$ is replaced by a new uncontrollable state s_t and three transitions $s \xrightarrow{p} s_t$, $s_t \xrightarrow{0} s'$ and $s_t \xrightarrow{0} s_0$. In other words, at each transition of the original game, Player 2 is given the opportunity to go back to the initial state. If the accumulated weight goes below zero at some point, Player 2 will decide to go back to the initial state. Since strategies can be assumed to be memoryless, there will be a periodic outcome with negative mean weight. \square

The exact complexity of the mean-payoff problem is not known, but it is P-hard and in $\text{UP} \cap \text{coUP}$ [17]. Hence we get the following theorem.

Theorem 13. *For finite weighted games, the lower-bound problem is P-hard and in $\text{UP} \cap \text{coUP}$ (thus in $\text{NP} \cap \text{coNP}$). The lower-weak-upper-bound problem is P-hard and in $\text{NP} \cap \text{coNP}$.*

5 Interval-Bound Problems

We shall now study the interval-bound problems for the finite and timed cases.

5.1 Finite Weighted Automata

The following theorem summarizes all our results on the various interval-bound problems for finite weighted automata and games.

Theorem 14. *Under the interval-bound constraint,*


1. *the universal problem for finite weighted automata is decidable in P ,*
2. *the existential problem for finite weighted automata is decidable in $PSPACE$ and NP -hard, and*
3. *the problem for finite weighted games is $EXPTIME$ -complete.*

The complete proofs of all the results mentioned in this theorem can be found in the full version. We only mention some ideas, and then give the complete NP -hardness proof, as we think this can be rather instructive.

1. Using Bellman-Ford-like algorithms, we detect whether there is a negative (resp. positive) cycle or a shortest (resp. longest) path whose cost becomes negative (resp. goes above the maximal bound of the interval). This can be done in polynomial time.
2. From a finite weighted automaton, we can construct a finite graph whose set of states is a pair (s, c) with s a state of the automaton, and c a cost value (in the interval $[0, b]$), and in which $(s, c) \rightarrow (s', c')$ is a transition whenever $s \xrightarrow{c'-c} s'$ is a transition of the weighted automaton. Guessing an infinite path in that graph gives a solution to the existential problem. This can be done in polynomial space (due to the encoding of b in binary). The NP -hardness proof will be detailed below.
3. Similarly as for the $PSPACE$ upper bound, we construct the graph described above, and we add alternation: a state belonging to Player 1 (resp. 2) becomes existential (resp. universal). The interval-bound problem for finite weighted games reduces to an alternating graph accessibility problem (see [14]) which can be solved in P , hence the $EXPTIME$ upper bound (the exponential blow-up is still due to the encoding of b in binary). $EXPTIME$ -hardness is by reduction from the problem of countdown games which was very recently shown to be $EXPTIME$ -complete [18].

Proof (of the NP -hardness). We reduce the NP -complete problem SUBSET-SUM (see e.g. [22]) into our existential interval-bound problem. An instance of SUBSET-SUM is a pair (A, t) where $A \subseteq \mathbb{N}$ is a finite set and $t \in \mathbb{N}$. The question is whether there is a subset of A which adds exactly to t . Assume a given instance of SUBSET-SUM (A, t) where $A = \{t_1, t_2, \dots, t_n\}$. We construct a weighted automaton (S, s_0, T) where $S = \{s_0, s_1, \dots, s_n\}$ and where $T =$

$\{s_i \xrightarrow{t_{i+1}} s_{i+1} \mid 0 \leq i < n\} \cup \{s_i \xrightarrow{0} s_{i+1} \mid 0 \leq i < n\} \cup \{s_n \xrightarrow{-t} s_0\}$. The construction is depicted below.



Now consider the existential interval-bound problem with upper bound t , and let the initial credit be 0. It is clear that there is an infinite path with the accumulated weight staying between 0 and t if and only if the SUBSET-SUM problem has a solution. \square

5.2 Timed Games

We prove in this section that the interval-bound problem for timed games is undecidable, even for games involving only one clock.

Theorem 15. *The interval-bound problem is undecidable for one-clock weighted timed games.*

Proof (sketch). This is achieved by simulating a two-counter machine. If c_1 and c_2 are the values of the counters, the accumulated weight along runs of the simulating weighted timed game will be $E(c_1, c_2) = 5 - 1/(2^{c_1}3^{c_2})$, and we will work with the upper bound of 5. We start with accumulated weight 4 (encoding that the two counters are initialized to 0).



We will describe modules that increment respectively decrement a counter, and then informally describe how we can test that the value of a counter is zero. We assume that there is a global invariant $x \leq 1$ in all the modules. Moreover, for the purpose of this reduction, a *configuration* is a triple (ℓ, x, W) where ℓ is a discrete location, x is the value of the clock, and W is the accumulated weight.

We first assume we have a module *ok* that is winning for Player 1 as soon as this module is entered with an accumulated weight in $[0, 5]$ (it is nothing more than a location, with weight-rate 0, and a controllable self-loop that checks whether $x = 1$ and resets clock x).

We now consider the module Mod_n that is described in Fig. 3 (n is an integer that will be fixed later in the set $\{2, 3, 12, 18\}$). A strategy in Mod_n for Player 1 which has the property that any outcome either reaches a module *ok* or exits the module while always satisfying the lower- and upper-bound conditions will be said to be *locally safe* in that module.

Let $e \in [0, 1]$ with $0 \leq ne \leq 30$. Consider the following strategy σ_n , depicted on Fig. 4:

- from location $(m, 0, 5 - e)$, it delays during $(5 - e)/6$ time units in m , then leaves to m_1 (thus to configuration $(m_1, (5 - e)/6, 0)$);
- from m_1 , it directly goes to m_2 ;


Fig. 3. Generic module Mod_n

Fig. 4. The effect of (strategy σ_n in) module Mod_n

- from $(m_2, (5 - e)/6, 0)$, it waits for $1/6$ time units and then leaves to m_3 (hence to configuration $(m_3, 1 - e/6, 5)$);
- from $(m_3, 1 - e/6, 5)$, it directly goes to m' ;
- in m' , it delays until $x = 1$, and fires the last transition to the next module.

In Mod_n , from locations m_1 (resp. m_3), Player 2 can decide to bring the game to the first (resp. second) vertical branch, and the only way to stay safe is to arrive in m_1 (resp. m_3) with accumulated cost 0 (resp. 5) and to leave in 0-delay. This is precisely what does strategy σ_n , which is then the unique locally safe strategy in module Mod_n .

Proposition 16. *Starting from configuration $(m, 0, 5 - e)$ in Mod_n , with $0 \leq ne \leq 30$, Player 1 has a unique locally safe strategy. Under that strategy, the only outcome that visits m' exits the module with accumulated weight $5 - ne/6$.*

In the sequel, we use the following modules: $\text{Inc}(c_1) = \text{Mod}_3$, $\text{Inc}(c_2) = \text{Mod}_2$, $\text{Dec}(c_1) = \text{Mod}_{12}$, and $\text{Dec}(c_2) = \text{Mod}_{18}$. When starting with accumulated weight $5 - e$ in module $\text{Inc}(c_1)$, the accumulated weight when leaving this module is $5 - e/2$, hence $\text{Inc}(c_1)$ increments the counter c_1 . Similarly, $\text{Inc}(c_2)$ increments c_2 , and $\text{Dec}(c_1)$ and $\text{Dec}(c_2)$ decrement the respective counters. In the last two modules, no check is performed whether the counter to be decremented actually has a positive value.

We briefly describe how such a test can be done. First we construct a module that has two output branches, one where the two counters are equal to 0, and one where one of the counters is positive. This is to Player 1 to decide in which branch we go, but Player 2 can easily check that this is correct (checking that the two counters are equal to zero reduces to checking that the accumulated weight is 4, whereas checking that one of the counters is positive reduces to checking that the accumulated cost be in the open interval $(4, 5)$). Then, using that module, we can for instance implement a test that counter c_2 is equal to zero as follows: either both counters are equal to zero, or under the assumption that one of the counters is positive, and by decrementing the first counter, we will eventually reach a point where both counters are equal to zero. For lack of space, we do not detail the construction of those modules, which use ideas quite similar to Mod_n .

Hence, fixing \mathcal{M} to be a two-counter machine, we can construct a one-clock weighted timed game $G_{\mathcal{M}}$ which is a positive instance of the interval-bound problem if and only if \mathcal{M} has an infinite computation. \square

6 Conclusion

A summary of the results proved in this paper is provided in the following table. The fields in gray remain open. Matching the complexity lower and upper bounds for some of the problems is left open: the lower-bound problems for finite games are strongly related to the well known open problem of complexity of mean-payoff games; closing the gap between NP-hardness and containment in PSPACE for the existential interval-bound problem seems intricate and it is a part of our future work.

	games		existential problem		universal problem	
	finite	1-clock	finite	1-clock	finite	1-clock
L	$\in \text{UP} \cap \text{coUP}$ P-h (Th. 13)		$\in \text{P}$ (Th. 7)	$\in \text{P}$ (Th. 9)	$\in \text{P}$ (Th. 7)	$\in \text{P}$ (Th. 9)
L+W	$\in \text{NP} \cap \text{coNP}$ P-h (Th. 13)		$\in \text{P}$ (Th. 7)	$\in \text{P}$ (Th. 9)	$\in \text{P}$ (Th. 7)	$\in \text{P}$ (Th. 9)
L+U	EXPTIME-c (Th. 14)	Undec. (Th. 15)	$\in \text{PSPACE}$ NP-h (Th. 14)		$\in \text{P}$ (Th. 14)	

Note that the results related to Theorem 9 hold for the initial credits arbitrarily close (for any given $\varepsilon > 0$) to the given ones.

References

1. Alur, R., Bernadsky, M., Madhusudan, P.: Optimal reachability in weighted timed games. In: Díaz, J., Karhumäki, J., Lepistö, A., Sannella, D. (eds.) ICALP 2004. LNCS, vol. 3142, pp. 122–133. Springer, Heidelberg (2004)
2. Alur, R., La Torre, S., Pappas, G.J.: Optimal paths in weighted timed automata. In: Di Benedetto, M.D., Sangiovanni-Vincentelli, A.L. (eds.) HSCC 2001. LNCS, vol. 2034, pp. 49–62. Springer, Heidelberg (2001)

3. Behrmann, G., Fehnker, A., Hune, T., Larsen, K.G., Pettersson, P., Romijn, J., Vaandrager, F.: Minimum-cost reachability for priced timed automata. In: Di Benedetto, M.D., Sangiovanni-Vincentelli, A.L. (eds.) HSCC 2001. LNCS, vol. 2034, pp. 147–161. Springer, Heidelberg (2001)
4. Bouyer, P., Brihaye, Th., Bruyère, V., Raskin, J.-F.: On the optimal reachability problem. *Formal Methods in System Design* 31(2), 135–175 (2007)
5. Bouyer, P., Brihaye, Th., Markey, N.: Improved undecidability results on weighted timed automata. *Inf. Proc. Letters* 98(5), 188–194 (2006)
6. Bouyer, P., Brinksma, E., Larsen, K.G.: Staying alive as cheaply as possible. In: Alur, R., Pappas, G.J. (eds.) HSCC 2004. LNCS, vol. 2993, pp. 203–218. Springer, Heidelberg (2004)
7. Bouyer, P., Cassez, F., Fleury, E., Larsen, K.G.: Optimal strategies in priced timed game automata. In: Lodaya, K., Mahajan, M. (eds.) FSTTCS 2004. LNCS, vol. 3328, pp. 148–160. Springer, Heidelberg (2004)
8. Bouyer, P., Fahrenberg, U., Larsen, K.G., Markey, N., Srba, J.: Infinite runs in weighted timed automata with energy constraints. Research Report LSV-08-23, Laboratoire Spécification et Vérification, ENS Cachan, France (2008), http://www.lsv.ens-cachan.fr/Publis/RAPPORTS_LSV/PDF/rr-lsv-2008-23.pdf
9. Bouyer, P., Larsen, K.G., Markey, N.: Model-checking one-clock priced timed automata. In: Seidl, H. (ed.) FOSSACS 2007. LNCS, vol. 4423, pp. 108–122. Springer, Heidelberg (2007)
10. Bouyer, P., Larsen, K.G., Markey, N., Rasmussen, J.I.: Almost optimal strategies in one-clock priced timed automata. In: Arun-Kumar, S., Garg, N. (eds.) FSTTCS 2006. LNCS, vol. 4337, pp. 345–356. Springer, Heidelberg (2006)
11. Bouyer, P., Markey, N.: Costs are expensive! In: Raskin, J.-F., Thiagarajan, P.S. (eds.) FORMATS 2007. LNCS, vol. 4763, pp. 53–68. Springer, Heidelberg (2007)
12. Brihaye, Th., Bruyère, V., Raskin, J.-F.: Model-checking for weighted timed automata. In: Lakhnech, Y., Yovine, S. (eds.) FORMATS 2004 and FTRTFT 2004. LNCS, vol. 3253, pp. 277–292. Springer, Heidelberg (2004)
13. Brihaye, Th., Bruyère, V., Raskin, J.-F.: On optimal timed strategies. In: Ramanaujam, R., Sen, S. (eds.) FSTTCS 2005. LNCS, vol. 3821, pp. 49–64. Springer, Heidelberg (2005)
14. Chandra, A.K., Kozen, D.C., Stockmeyer, L.J.: Alternation. *J. ACM* 28(1), 114–133 (1981)
15. Ehrenfeucht, A., Mycielski, J.: Positional strategies for mean payoff games. *Int. J. Game Theory* 8(2), 109–113 (1979)
16. Fahrenberg, U., Larsen, K.G.: Discount-optimal infinite runs in priced timed automata (submitted, 2008)
17. Jurdziński, M.: Deciding the winner in parity games is in $UP \cap co-UP$. *Inf. Proc. Letters* 68(3), 119–124 (1998)
18. Jurdziński, M., Laroussinie, F., Sproston, J.: Model checking probabilistic timed automata with one or two clocks. In: Grumberg, O., Huth, M. (eds.) TACAS 2007. LNCS, vol. 4424, pp. 170–184. Springer, Heidelberg (2007)
19. Laroussinie, F., Markey, N., Schnoebelen, Ph.: Model checking timed automata with one or two clocks. In: Gardner, P., Yoshida, N. (eds.) CONCUR 2004. LNCS, vol. 3170, pp. 387–401. Springer, Heidelberg (2004)
20. Larsen, K.G., Rasmussen, J.I.: Optimal conditional scheduling for multi-priced timed automata. In: Sassone, V. (ed.) FOSSACS 2005. LNCS, vol. 3441, pp. 234–249. Springer, Heidelberg (2005)
21. Martin, D.: Borel determinacy. *Annals Math.* 102(2), 363–371 (1975)
22. Papadimitriou, C.H.: *Computational Complexity*. Addison-Wesley, Reading (1994)